

<b>NEI</b>		<b>Work Instruction</b>		Page 1 of 4
Title: <b>Unit Disassembly W.I. for WEEE</b>				
Document Number / Disk File: <b>597-390-1119-00</b>		By: Alex Vaserfirer	Current Rev: 0B	Date: 3/8/2011
Assemblies Covered: <b>RadiSys A-4500 p/n 390-1119-00; A-4550 p/n 390-1141-00</b>				



## REVISION HISTORY





Revision	Date	ECO #	Revised By	Description of Changes
0A	1/18/2010	N0826	AVV	Initial Release
0B	3/8/2011	P0535	AVV	p/n A-4550 added, Training log removed

### Tools Required:




- #2 Phillips Screwdriver
- #1 Phillips Screwdriver
- Needle nose Pliers

Unit Disassembly		
1.	a. Remove the screws securing the Memory cover to the SBC. b. <b>Discard in the appropriate Recycling Bin.</b>	
2.	a. Using the tab provided, pull back on the cover and lift it off the SBC. b. <b>Discard in the</b>	

<b>NEI</b>	<b>Work Instruction</b>		Page 2 of 4
Title: <b>Unit Disassembly W.I. for WEEE</b>			
Document Number / Disk File: <b>597-390-1119-00</b>	By: Alex Vaserfirer	Current Rev: 0B	Date: 3/8/2011
Assemblies Covered: <b>RadiSys A-4500 p/n 390-1119-00; A-4550 p/n 390-1141-00</b>			

	<b>appropriate Recycling Bin.</b>	
3.	<p>a. Pull out the latch holding the AMC filler unit in place and slide it out of the SBC.</p> <p>b. <b>Discard in the appropriate Recycling Bin.</b></p>	 
4.	<p>a. Remove the 7 screws from the top side of the SBC.</p> <p>b. <b>Discard in the appropriate Recycling Bin.</b></p>	

<b>NEI</b>	<b>Work Instruction</b>		Page 3 of 4
Title: <b>Unit Disassembly W.I. for WEEE</b>			
Document Number / Disk File: <b>597-390-1119-00</b>	By: Alex Vaserfirer	Current Rev: 0B	Date: 3/8/2011
Assemblies Covered: <b>RadiSys A-4500 p/n 390-1119-00; A-4550 p/n 390-1141-00</b>			

5.	<p>a. Remove the 2 screws from the bottom of the SBC.</p> <p>b. <b>Discard in the appropriate Recycling Bin.</b></p>	
6.	<p>a. Turn the SBC back over and locate the EUSB Flash Memory. Remove the Memory.</p> <p>b. <b>Discard in the appropriate Recycling Bin.</b></p>	
7.	<p>a. Remove the memory from the SBC.</p> <p>b. <b>Discard in the appropriate Recycling Bin.</b></p>	

Title:

## Unit Disassembly W.I. for WEEE

Document Number / Disk File:

597-390-1119-00

By:

Alex Vaserfirer

Current Rev:


0B

Date:

3/8/2011

Assemblies Covered:

**RadiSys A-4500 p/n 390-1119-00; A-4550 p/n 390-1141-00**

8.	a. Remove the 6 screws from the top of the heatsink. b. <b>Discard in the appropriate Recycling Bin.</b>	
9.	a. Remove the heatsink. b. <b>Discard in the appropriate Recycling Bin.</b>	